Updated Risk Assessments to minimise the risk of being exposed to Covid-19



Ursuline College Sligo

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the Board of Management in Ursuline College to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for Ursuline College in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating.

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate Injury and damage to property		3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	g Interpretation	
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious If an incident were to occur, it would be likely that a permanent, debilitating injury or death would result	Risks are unacceptable and immediate action required justifying special maintenance. Activity should be halted and stopped until the hazard is eliminated or appropriate risk controls are put in place.
11-15	Severe and Serious If an incident were to occur, it would be likely that an injury requiring medical treatment would result.	Activity can proceed but substantial efforts should be made to reduce the risk. Risk reduction measures should be implemented urgently within a defined time period and it might be necessary to consider suspending or restricting the activity or to apply interim control measures until this has been completed.
6-10	Medium If an incident were to occur, there would be some chance that an injury requiring First Aid treatment would result	Activity can proceed but consideration should be given as to whether the risks can be lowered. Control measures must be monitored and reviewed as required to ensure they remain suitable and sufficient.
1-5	Trivial or Negligible If an incident were to occur, there would be little likelihood that an injury would result	No additional controls are necessary as these risks are considered acceptable. Activity should be regularly reviewed to ensure there is no change to the risk rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Covid-19 Policy Statement

Ursuline College is committed to providing a safe and healthy workplace for all our staff and students. To ensure this, the Board of Management have developed a Covid-19 Response Plan and updated the Safety Statement for the school. All staff and students are responsible for the implementation of the response plan and a combined effort will help contain the spread of the virus. The Board of Management will:

- continue to monitor our Covid-19 response and amend this plan in consultation with our staff and students
- provide up to date information to our staff and students on the Public Health advice issued by the HSE and Gov.ie
- display information on the signs and symptoms of Covid-19 and correct hand-washing techniques
- provide an adequate number of trained Worker Representative(s) who are easily identifiable and put in place a reporting system
- inform all staff and students of essential hygiene and respiratory etiquette and physical distancing requirements
- adapt the school to facilitate physical distancing as appropriate in line with guidance of the Department of Education and Skills
- keep a log of contact of staff and student engagement to help with contact tracing
- ensure staff and students engage with the online induction/familiarisation briefing provided by the Department of Education and Skills
- implement the agreed procedures to be followed in the event of someone showing symptoms of Covid-19 while at school
- provide instructions for staff and students to follow if they develop signs and symptoms of Covid-19 during school time in line with the procedures provided by the Department of Education and Skills
- implement cleaning in line with government advice and agreed checklists

All staff and students will be consulted on an ongoing basis and feedback is encouraged on any concerns, issues or suggestions. This can be done through the Worker Representative(s).

Date: 28/01/2021

Date: 28/01/2021

Chairperson, Board of Management

Signed: Le Maris and ORapul

Principal

Who may be	Identified Risks	Risk Communication, Education and Training	Risk Rating	Action implementation
affected?		Controls	with controls	
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	The Board of Management will develop a response plan for the prevention and mitigat Covid-19 following a risk assessment of the school facility. This plan will highlight the mean necessary to protect the health and safety of staff in re-opening and modifying the arrangements within the school. The staff representative(s) will be properly consulted when developing and implementing action plan for the prevention and mitigation of Covid-19 within the school and all staff informed about the measures being introduced, using specific risk communication and engagement approaches. The Board of Management will: Ensure that all staff receive necessary training prior to returning to work. Provide posters, information and electronic message boards to increase award of Covid-19 among staff and students. Promote safe individual practices within the school campus. Engage with staff in providing feedback on the preventive measures and effectiveness. Provide regular information about the risk of Covid-19 using official sources, so government agencies (HSE, HSA, etc.) and the World Health Organisation. Emphasise the effectiveness of adopting protective measures especially personal hygiene. Provide specific training in the proper use of PPE for staff.	sures work Ing the vill be I staff Negligible eness their Ich as	Board of Management Principal Staff
Risk Level Calculati a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=me rent 1=rare, 2=unlikely, 3=lik	Risk Level Action Oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitorin 11-15 Severe risk Requires immediat 16-25 Emergency risk Halt activity and research	e further action and co	ontrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	ified Risks Hygiene		Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Managment will ensure that all staff can wash their hands regularly. Hot wat and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout to school. Soap will be neutral and non-perfumed to minimise risk of skin damage. Staff should: Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use Cover their mouth and nose with a tissue or their sleeve when coughing and sneezing. Put used tissues into a bin and wash their hands Develop a routine of incresed cleaning and disinfecting of frequently touched objects a surfaces The Board of Management will supply required cleaning products, will ensure the correct used and storage of disinfectants and will ensure all products are stored safely and securely. No employees are permitted to attend work if they display any of the symptoms below: Fever (temperature of 37.5 degrees or above) Cough Shortness of breath Breathing difficulties Any personnel displaying symptoms must self-isolate and not attend work for 14 days. Any staff member living with someone who is self-isolating or waiting for a Covid-19 test must restrict their movements for 14 days. Any persons who has tested positive for Covid 19 must not return to work until deemed to do so and upon approval of their medical advisor.	Requires monitoring and se	Board of Management Principal Staff Visitors
sk Level Calcula) Severity of risk) Likelihood of e) Risk Rating = (a	s/injury 1=trivial, 2=slight, 3=mode event 1=rare, 2=unlikely, 3=likely	Prate, 4=major, 5=fatality 1-5 Trivial risk Acceptable 4-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate fur 16-25 Emergency risk Halt activity and revie		ontrol
ssessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Hygiene (continued)	Risk Rating	Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Appropriate signage in line with public health guidelines will be display school facility (buildings and grounds). Appropriate social distancing markings are in place Necessary PPE is available to staff Standard cleaning and maintenance regimes are put in place and det retained Toilet facilities are cleaned regularly All drinking water facilities will be shut down Equipment sharing is minimised. Staff are encouraged not to share extracted in the second of the staff with essential cleaning materials to keep their own work areas clean wipes/disinfection products, paper towels and waste bins/bags) All school equipment is sanitised – cleaning programmes to be devised shared equipment is cleaned and disinfected between use by different covid compliant work areas to be available where social distancing grapplied There is staggered use of canteen/kitchen or other communal facilities. Bins are provided for disposal of waste materials (tissues, paper tower and that adequate waste collection arrangements to be put in placed on ot overflow All waste collection points are emptied regularly throughout and at the day. Staff use gloves when removing rubbish bags or handling and dispositional rubbish. Wash hands with soap and water for at least 20 seconds after the second control of the seco	quipment ff are provided (for example ed to ensure that nt people uidelines can be les els, wipes, etc.) to ensure they the end of each ing of any	Board of Management Principal Staff Visitors
tisk Level Calcula a) Severity of risk b) Likelihood of e c) Risk Rating = (a	linjury 1=trivial, 2=slight, 3=mode event 1=rare, 2=unlikely, 3=likely	4=very likely, 5=inevitable 6-10 Medium risk Requires	monitoring immediate further action and co	ntrol
ssessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Social Distancing	Risk Rating	Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women	Physical distancing is a key control measure in reducing the spread of infection. The Board Mangement will ensure that: ✓ all persons will adhere to relevant social distancing rules in relation to entering the school facility, use of welfare facilities and while working in the school ✓ physical spacing at least 2 metres apart for work stations and common spaces, such entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of vcisitors might occur ✓ shared spaces such as changing and lockers rooms will be locked, if possible. If this is not possible their use will be stagered between the different groups and the area will be cleaned and disinfected between use	Requires	Board of Management Principal Staff Visitors
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Appropriate social distancing arangements will be in place throughout the facility The need for for physical meetings will be minimised (by using teleconferencing facilities) There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons far as possible Where 2 metre distance cannot be maintained a face covering, preferably mask, must be be worn.		
	•Death	Preparations are being undertaken to ensure that social distancing can be maintained in to event of a fire/fire drill. ✓ Each year group will assemble in a separate location within the school grounds ✓ There must be adequate space to ensure social distancing between classes. ✓ There must be adequate space to maintain social distancing between students. ✓ There must be adequate space to maintain social distancing between teachers. ✓ Masks should continue to be worn during where students and teachers assemble. ✓ Exit routes from the school will be changed to ensure required social distancing.	Serious	
		The use of perspex screens is being used as an additional safety measure in some areas where social distancing is difficult to maintain. ✓ Between sinks in bathrooms ✓ On tables in the canteen		

Perspex screens are also being used in a number of classrooms on teachers' desks.

Requirements for personnel working within 2 metres of each other (where activity cannot be suspended):

- ✓ No worker has symptoms of Covid-19
- ✓ The close contact work cannot be avoided
- ✓ Installation of physical barriers e.g. clear plastic sneeze guards
- ✓ PPE is present in line with the approved risk assessment (full face mask, gloves,
- ✓ etc) and public health advice
- ✓ An exclusion zone for <2m work will be set up pre task commencement
- ✓ Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly

Each teacher is being asked to record the seating arrangements of the students within his/her classes. A copy of these seating plans will be provided to the school office, as this information may be important in the event of a confirmed case of Covid-19. It is advised that teachers teaching the same class for different subjectswould seek to draw up similar class plans where possible

Risk Level Calculation

(a) Severity of risk/injury

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality

Risk Level Action

1-5 Trivial risk

6-10 Medium risk

Acceptable
Requires monitoring

(b) Likelihood of event (c) Risk Rating = (a) X (b)	1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June	2020	Assessor's Name:

Who may be Identified Risks
affected?
Spread of Covid-19 virus Persons currently deemed most at risk of complications they catch the coronavirus are 60 years of age and over have long-term medical conditions — i.e. heart disease lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature 37.5 degrees Celsius or above A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death

(a) Severity of risk/injury

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality

Risk Level Action
1-5 Trivial risk

sk Acceptable

b) Likelihood of ev c) Risk Rating = (a)		y, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020		Assessor's Name:		
Who may be	Identified Risks	Office a	nd administration areas	Risk Rating	Action implementation
affected?	-		Controls	with controls	
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	 physical distancing between of the working within an office that ensure a minimum 2 management of the purpose, staff may, therefore other than their own normal of the number of employees per personner. 	I to facilitate the maintenance of minimum 2 metre designated workstations and staff e, staff should ensure that they only utilise workstations netre physical distance from other persons. For this, on occasion be required to utilise another workstation designated workstation. Traitted to work within each office within the workplace be limited as a necessary control measure to protect	Requires monitoring	Board of Management Principal Administration staff
isk Level Calculati a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo rent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ly, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol

Assessment Date: June, 2020

Who may be	Identified Risks	Use of PPE	Risk Rating	Action implementation
affected?		Controls	with controls	
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The correct use of Personal Protective Equipment (PPE) such as face shields/visors or clear plastic barriers or Perspex screens etc. may be required in some circumstances to address identified risks of spread of the virus. It would be expected that, following a risk assessment of tasks, all employees will be required to use PPE for work activities, where physical distancing of 2m cannot be maintained Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE is required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.le/conditions/coronavirus/face-masks-disposable-gloves.html Face masks will be provided to all staff. Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. *Face coverings are not recommended to be worn by children under 13 years.	Requires monitoring	Board of Management Principal Staff

- (a) Severity of risk/injury
- (b) Likelihood of event
- (c) Risk Rating = (a) X (b)
- 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

- 1-5 Trivial risk Acceptable
- 6-10 Medium risk Requires monitoring
- 11-15 Severe risk Requires immediate further action and control
- 16-25 Emergency risk Halt activity and review immediately

Who may be	Identified Risks	Handling books and othe	r resources during Covid-19	Risk Rating	Action implementation
affected?		Controls		with controls	
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	materials (including IT equipment) so that the new school year. The following guideline assisting in compiling resource packs: Maintain physical distancing (current Observe good hygiene (hand washin eyes, nose, mouth with unwashed hother materials returned to the school Follow the agreed school protocols, in Any books or other items (resource school should be quarantined for 72 in sealed boxes that are labelled with quarantine period. These boxes should be guitable of the school school should be guitable of the school school should be guitable of the school school should sealed boxes that are labelled with quarantine period. These boxes should be guitable of the school sc	ng and respiratory etiquette, do not touch your ands, etc.) before and after handling books and ol if displaying symptoms of Covid-19 packs, computers, etc.) being returned to the hours. Quarantining means placing these items in the time and date of the start of the 72-hour uld be stored in a separate location away from quarantine period the items may be unboxed, thool year	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio a) Severity of risk/in b) Likelihood of eve c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=ment 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	luno 2020		Assessor's Name:		

Vho may be Identified Risks	isks Using hand tools or equipment	Risk Rating	Action implementatio
affected?	Controls	with controls	
Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	All tools and equipment must be properly sanitised to prevent cross contamination Arrangements will be put in place for one individual to use the same tool, equipmer and machinery as far as is reasonably practicable Cleaning material will be available so that all tools can be wiped down with disinfectant between each use Work practices are organised to eliminate or reduce transmission points and staff are trained in relation to the same All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisie prior to use Perature of so or above) be any ust a dry th or so mell siste or	t Requires monitoring	Board of Managemen Principal Staff

(a) Severity of risk/injury

(b) Likelihood of event

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality

1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

1-5 Trivial risk

6-10 Medium risk

Acceptable

Requires monitoring

c Rating Action implemental
controls
5513, 515
Board of Manageme Principal Staff

		16-25 Emergency risk Halt activity and review in	2001	
Assessment Date:	June, 2020	Assessor's Name:		S MEN SEN SE SE SE
Who may be	Identified Risks	Dealing with a suspected case of Covid-19 (continued)	Risk Rating with controls	Action implementation
affected?		Controls	With Controls	
Staff Students Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	 ✓ If the person is well enough to go home, arrange for her to be transported home by a family member, as soon as possible and advise her to inform her general practitioner by phone of her symptoms. Public transport of any kind should not be used ✓ If the person is too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. ✓ Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. ✓ Arrange for appropriate cleaning of the isolation area and work areas involved. 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/		Risk Level Action 1-5 Trivial risk Acceptable 1-5 Trivial risk Acceptable 1-7 Acceptable 1-8 Acceptable 1-9 Acceptable 1-9 Acceptable 1-10 Medium risk Requires monitoring		

11-15 Severe risk

(c) Risk Rating = (a) X (b)

Requires immediate further action and control

Assessment Date:	June, 2020	Assessor's Name:		
Who may be	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
affected?		Controls	with controls	
Staff Students Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	 It is recommended that an area be cleaned with normal household disinfectant after a suspected coronavirus (Covid-19) case. This will reduce the risk of passing the infection on to other people The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours then thrown away in the regular rubbish after cleaning is finished Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products normally used. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles If an area has been heavily contaminated, such as with visible bodily fluids, from a person with Coronavirus (Covid-19), consider using protection for the eyes, mouth and nose, as well as wearing gloves and an apron Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning Public areas where a symptomatic individual has passed through and spent minimal time, such as corridors, but which are not visibly contaminated with body fluids can be cleaned thoroughly as normal All surfaces that the symptomatic person has come into contact with must be cleaned and disinfected, including objects which are visibly contaminated with body fluids 	Serious Requires monitoring	Board of Management Principal Cleaning staff

(a) Severity of risk/injury

(b) Likelihood of event

(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

6-10 Medium risk

11-15 Severe risk

Requires monitoring

Requires immediate further action and control

Assessment Date:	June, 2020	Assessor's	s Name:		
Who may be	SMI(e) 1515				Action implementation
affected?	identified tisks	Controls		with controls	
Staff Students Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	Use disposable cloths or paper roll and disposable mob hilloors, chairs, door handles and sanitary fittings, using ar and disinfectant in line with the manufacturer's instructive times Disinfectants used should be checked to ensure that they viruses Additionally: Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and outlined below. When items cannot be cleaned using detergents or laun mattresses for example) steam cleaning should be used Any items that have been heavily contaminated with bod washing should be disposed of If possible, keep an area closed off and secure for 72 hou contamination will have decreased substantially, and clean	n approved and recognised detergent ions for dilution, aplication and contact y are effective against enveloped is should be put into waste bags as dered (upholstered furniture of lyfluids and that cannot be cleaned by ars. After this time the amount of virus aning can take place as normal	Serious Requires monitoring	Board of Management Principal Cleaning staff
tisk Level Calculation a) Severity of risk/ b) Likelihood of ev	injury 1=trivial, 2=slight, 3=mo	40.440	Action vial risk Acceptable edium risk Requires monitoring		

11-15 Severe risk

(c) Risk Rating = (a) X (b)

Requires immediate further action and control

			16-25 Emergency risk Halt activity and review i	mmediately	
Assessment Date:	June, 2020		Assessor's Name:		
Who may be affected?	Identified Risks		confirmed case of Covid-19 (continued)	Risk Rating with controls	Action implementation
Staff Students Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	water setting and dry items completed an unwell person can be washed we laundry so as to minimise the post of the clean and disinfect anything used for in line with the cleaning guidance. Waste Management Waste should be put in a plastic rule. The plastic bag should then be placed in the cleaning guidance of the clean should be put in a suitable and see individual's test results are known. All waste should be stored safely a waste in communal waste areas un has been stored for at least 72 hours.	bbish bag and tied when full sed in a second bin bag and tied ecure place and marked for storage until the and kept away from children. You should not put htil negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth	ner action and co	ntrol

	16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Vho may be	Identified Risks	Travel to and from work	Risk Rating	Action implementation
ffected?		Controls	with controls	
Staff		Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff should travel to work alone using their own means of transport — staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars etc. Carry hand sanitiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death			

(a) Severity of risk/injury

(b) Likelihood of event

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

1-5 Trivial risk

6-10 Medium risk

Acceptable Requires monitoring

(c) Risk Rating = (a) X (b)	11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

affected?			
	Controls	with controls	
Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease high blood maintain, as far as is reasonal drivers/parents/guardians and all schemes of the health, safety and wellbeing of the health, safety and well being of the health and the heal	f maintaining social distancing at all times, in the interest our school and local communities. The example SEN or disabilities, which require a student to taff carpark, this must be arranged by a parent/guardian suitable arrangements. This is necessary to avoid any	Requires monitoring	Board of Management Principal Staff

(a) Severity of risk/injury

(b) Likelihood of event

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

RISK Level Action

1-5 Trivial risk

6-10 Medium risk

Acceptable

Requires monitoring

(c) Risk Rating = (a) X (b)	11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Who may be	Identified Risks	Visitors to school	Risk Rating	Action implementation
affected?	ed? Controls	Controls	with controls	
Staff Students Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to: Make a prior appointment before visiting the school Remain at home if they have any Covid-19 symptoms Follow the agreed Covid-19 protocols for the facility Sanitise before entering the premises Record their attendance on entry to building Wear PPE if instructed Adhere to social distancing requirements Not to loiter – complete their business and leave premises	Requires monitoring	Board of Management Principal

Risk Level Calculation
(a) Severity of risk/injury

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality

Risk Level Action 1-5 Trivial risk

Acceptable